

Enrollment Form

Respiratory Syncytial Virus Enrollment Form

Phone: 833-707-0868	Date:			
Fax referral to: 844-490-4873	Need-by date:			
Ship to: Patient Office Other:				
SECTION I — member and provider information				
1. Member name (last, first, middle initial)				
2. Member identification number	3. Member date of birth			
4. Prescriber name	5. Prescriber NPI			
6. Prescriber address (street, city, state ZIP+4)	_			
7. Prescriber telephone number				
8. Billing provider name	9. Billing provider NPI			
SECTION II — clinical information for all prior authorization requests				
10. Was Synagis® administered when the child was hospitalized? ☐ Yes☐ No				
If yes, indicate the date(s) of administration in the space(s) provided. (No more than five doses will be authorized, inclusive of any hospital-administered doses.) 1. 2. 3.				
11. Current weight — child (in kilograms)	12. Date child weighed			
13. Calculated dosage of Synagis (15 milligrams per kilogram of body weight)				
14. Case-specific diagnosis/ICD-10				
Providers are required to complete <i>one</i> of Section III A, III B, III C, III D, III E or III F (depending on				
the child's medical condition) for a prior author				
SECTION III A — clinical information for chronic lung disease				
15. The child has chronic lung disease of prematurity. No				
16. Did the child require oxygen at greater than 21 percent for at least the first				
28 days after birth?	☐ Yes☐ No			

Respiratory Syncytial Virus Enrollment Form	1
Page 2 of 3	

17. Indicate the child's gestational age at delivery (in weeks and days).		
Weeks Days		
18. Check all therapies below that the child has continuously used over the past six months.		
☐ Corticosteroid ☐ Diuretic ☐ Supplemental oxygen		
SECTION III B — clinical information for congenital heart disease		
19. The child is younger than 12 months of age at the start of the respiratory syncytial virus		
(RSV) season and has hemodynamically significant congenital heart disease. \Box Yes \Box No		
SECTION III C — clinical information for cardiac transplant		
20. The child is younger than 24 months of age at the start of the RSV season and is		
scheduled to undergo a cardiac transplantation during the RSV season. Yes No		
SECTION III D — clinical information for pre-term infants		
21. The child is younger than 12 months of age at the start of the RSV season and		
was born before 29 weeks' gestation (i.e., zero days through 28 weeks, six days).		
☐ Yes ☐ No		
Indicate the child's gestational age at delivery (in weeks and days).		
Wooks Days		
Weeks Days		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. Yes No		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. Yes No If yes, indicate the disease or anomaly.		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. Yes No If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following:		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. Yes No If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following: a. Solid organ transplant		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. Yes No If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following: a. Solid organ transplant Yes No b. Stem cell transplant Yes No		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. Yes No If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following: a. Solid organ transplant		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following: a. Solid organ transplant		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. Yes No If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following: a. Solid organ transplant		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following: a. Solid organ transplant		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following: a. Solid organ transplant		
SECTION III E — clinical information for pulmonary abnormalities and neuromuscular disease 22. The child is younger than 12 months of age at the start of the RSV season and has a neuromuscular disease or congenital abnormality that impairs the ability to clear secretions from the upper airway because of an ineffective cough. If yes, indicate the disease or anomaly. SECTION III F — clinical information for immunocompromised children 23. The child is younger than 24 months of age at the start of the RSV season and is profoundly immunocompromised due to the following: a. Solid organ transplant		

SECTION IV — authorized signature		
24. Prescriber signature	25. Date signed	
SECTION V — additional information		
26. Indicate any additional information in the space provided. Additional diagnostic and clinical information explaining the need for the product requested may be included here:		