

Provider update

HEDIS Spotlight — Childhood and Adolescent Immunizations and Topical Fluoride Application

As we move forward in HEDIS[®] measurement year 2023, we want to focus on child preventive measures. This month, particularly before the new school year begins, please help make an extra effort to update our child and adolescent members on vaccinations and encourage them to get in for their topical fluoride application. Below is a review of these very important preventive health measures.

Childhood Immunization Status (CIS-10)

HEDIS definition

The percentage of children who turned two years of age during the measurement year who received all vaccinations in the Combo 10 series

The required vaccines in the Combo 10 series are:

- Four doses of DTaP.
- Three doses of IPV.
- Three doses of Hep B.
- One dose of Hep A.
- Three doses of HIB.
- One dose of MMR.
- One dose of VZV.
- Four doses of pneumococcal.
- Two doses of influenza.
- Two or Three doses of Rotavirus.

Important tips to meet HEDIS requirements:

- All the 10 series vaccines must be completed **on or before the second birthday**.
- For measles, mumps and rubella (MMR); hepatitis B; VZV; and hepatitis A, one of the following is required:
 - Evidence of the antigen or combination vaccine having been given
 - Documented history of the illness
 - A seropositive test result for the antigen
- MMR, VZV, and hepatitis A must be completed **on or between the first and second birthdays**.
- **Rotavirus options, either:**
 - Two doses of Rotarix[®] on different dates of service
 - Three doses of RotaTeq[®] on different dates of services
 - One dose of the two-dose Rotarix and two doses of the three-dose RotaTeq
- At least two of the influenza vaccines must be completed **on or before the second birthday**. One of the two vaccinations can be an LAIV vaccination administered on the child's second birthday. Any administration of LAIV prior to the child turning two years old does not count.
- Refusal by a parent does **not** meet compliance for any vaccine.

Codes to identify immunizations

HEDIS[®] is a registered trademark of the National Committee for Quality Assurance (NCQA).

<https://provider.amerigroup.com/WA>

Immunization	CPT®/HCPCS/ICD-10	CVX
DTaP	CPT: 90697, 90698, 90700, 90723	20, 50, 106, 107, 110, 120, 146
IPV	CPT: 90697, 90698, 90713, 90723	10, 89, 110, 120, 146
MMR	CPT: 90707, 90710	03, 94
Hib	CPT: 90644, 90647, 90648, 90697, 90698, 90748	17, 46, 47, 48, 49, 50, 51, 120, 146, 148
Hep B	CPT: 90697, 90723, 90740, 90744, 90747, 90748	08, 44, 45, 51, 110, 146
VZV	CPT: 90710, 90716	21, 94
PCV	CPT: 90670	109, 133, 152
Hep A	CPT: 90633	31, 83, 85
Rotavirus (two or three dose)	Two-dose: 90681 Three-dose: 90680	Two-dose: 119 Three-dose: 116, 122
Influenza	CPT: 90655, 90657, 90661, 90673, 90685, 90686, 90687, 90688, 90689	88, 140, 141, 150, 153, 155, 158, 161
Influenza: live attenuated for intranasal use	CPT: 90660, 90672	111: influenza virus vaccine, live attenuated, for intranasal 149: influenza, live, intranasal, quadrivalent

* The codes listed are for informational purposes only and are not intended to suggest or guide reimbursement. If applicable, refer to your provider contract or health plan contact for reimbursement information. For a complete list of CPT codes, go to the American Medical Association website at ama-assn.org.

Immunizations for Adolescents (IMA)

HEDIS definition
<p>The percentage of children who turned 13 years of age during the measurement year who received all vaccinations in the adolescent three series</p> <p>The required vaccines are:</p> <ul style="list-style-type: none"> • One dose of meningococcal conjugate vaccine. • One dose of Tdap vaccine. • Two-dose or three-dose series of HPV vaccine.
Important tips to meet HEDIS requirements
<p>All of the vaccines in this series must be completed on or before the 13th birthday:</p> <ul style="list-style-type: none"> • HPV must be completed on or between the ninth and 13th birthdays: <ul style="list-style-type: none"> ○ If two-dose, there must be at least 146 days between the first and second dose. ○ If three-dose, it must be on or between the ninth and 13th birthdays with different dates of service. • TDaP must occur on or between the 10th and 13th birthdays. • Meningococcal must occur on or between the 11th and 13th birthdays. • Vaccines administered outside of the date ranges for each vaccine are not compliant. • Refusal by a parent does not meet compliance for any vaccine.

Codes to identify immunizations

Description	CPT	CVX
Meningococcal	90733, 90619, 90734	108, 114, 136, 147, 167
Tdap	90715	115
HPV	90649, 90650, 90651	62, 118, 137, 165

Topical Fluoride for Children

HEDIS definition:	
The percentage of members one to four years of age who received at least two fluoride varnish applications on different dates of service during the measurement year	
Treatment:	
Topical Fluoride Treatment Exclusions	<ul style="list-style-type: none"> Members in hospice or using hospice services anytime during the measurement year Members who died during the measurement year

Codes to identify application of varnish

Services	CPT/CDT
Application of Fluoride Varnish	CPT: 99188 CDT: D1206

* The codes listed are for informational purposes only and are not intended to suggest or guide reimbursement. If applicable, refer to your provider contract or health plan contact for reimbursement information. For a complete list of CPT codes, go to the American Medical Association website at ama-assn.org.



Email is the quickest and most direct way to receive important information from Amerigroup Washington, Inc.

To start receiving email from us (including some sent in lieu of fax or mail), submit your information using the QR code to the right or via our online form (amerigroup.ly/Wamp).

